

Dr. CH. VITTORAKIS

Family Doctor/Polyclinic Medical Laboratory GR-73014 Platanias- Chania Tel: +30 28210 60606

Mob.: +30 6932 566 606 www.vittorakis.gr Email: chvittor@otenet.gr

Suspected coronavirus (COVID-19):

Important information to keep you safe while isolating at home

This leaflet is for patients with suspected coronavirus who have not been admitted to hospital and will be isolating at home.







Staying at home

- You may have coronavirus. You don't need to be in hospital at this time, but it is important that you self-isolate.
- Video consultation connects you within a few seconds with our medical team, offering privacy and comfort of your home/hotel. (More information on www.vittorakis.gr)
 - You should assume you have COVID-19 until a test shows you do not. Until then, you must selfisolate for at least 10 days along with anyone in your household as they may have coronavirus without showing any symptoms.



- Our medical team is well trained to effectively test potential Covid-19 cases, at your home, hotel and/or at our medical office.
- You can contact us by e-mail: <u>chvittor@otenet.gr</u> or call us at tel.nr. +30 28210 60606.
- Do not wait wherever possible the test should be done within five days of showing symptoms.



It is important that someone checks on you regularly. If you are isolating from other people in the same house, talking on your phone or through a doorway could be better than text messages. It will help them hear if you are becoming more breathless or unwell. Even if you live alone, you should arrange to contact someone regularly. Ask them to ring you, if you don't make contact as planned, ask them to seek help.





Recovering from COVID-19



Mild COVID-19 symptoms

These are common symptoms. You may not have all of these but still feel unwell.


- High temperature: you feel hot to touch on your chest and back. If you have access to a thermometer, a reading of 38 degrees Celsius or higher
- Cough
- Muscle ache or tiredness
- Mild chest pain
- Dizziness or headache
- Loss of taste or sense of smell
- Diarrheas and vomiting
- Rashes.




Supporting Your recovery

- Most people recover from coronavirus within three weeks.
- You may have mild symptoms and feel unwell for a short time before slowly starting to feel better.
- To help you recover, you may wish to try:
- Rest
- Paracetamol or ibuprofen
- Regular fluids

 Coronavirus can leave some people feeling unwell for a long











When and where to seek medical advice

Contact us 24/7 at +30 28210 60606

If you experience any of the following COVID-19 symptoms, you should contact us as soon as possible.

- Feeling breathless or difficulty breathing, especially when standing up or moving
- Severe muscle aches or tiredness
- Shakes or shivers
- If you use a pulse oximeter, your blood oxygen level is 94% or 93% or continues to be lower than your usual reading where your normal oxygen saturation is below 95% (re-take a reading within an hour first)
- Sense that something is wrong (general weakness, severe tiredness, loss of appetite, peeing much less than normal, unable to care for yourself – simple tasks like washing and dressing or making food).


You should tell the operator you may have coronavirus


Attent the Hospital Emergency department or call 112

A minority of people with COVID-19 will suffer more severe symptoms. You should attend the emergency department as quickly as possible and call 166 immediately if you experience the following:

- Your blood oxygen levels are 92% or less (retake your reading immediately first)
- You are unable to complete short sentences when at rest due to breathlessness
- Your breathing gets worse suddenly.
 OR if you develop these more general signs of serious illness:
- Cough up blood
- Feel cold and sweaty with pale or blotchy skin
- Collapse or faint
- Develop a rash that doesn't fade when you roll a glass over it
- Become agitated, confused or very drowsy
- Stopped passing urine or are passing urine much less than usual.

You should tell the operator you may have coronavirus and if you have a pulse oximeter give your oxygen saturation reading. These symptoms require urgent medical attention.







Dr.Ch. Vittorakis